L Number	Hits	Search Text	DB	Time stamp
1	8016	(command adj based) or (command adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:46
2	1694	((command adj based) or (command adj interface)) and report$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:46
4	2	((((command adj based) or (command adj interface)) and report$4) and system adj log) and log adj record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:47
5	6	((((command adj based) or (command adj interface)) and report$4) and system adj log) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:48
6	6	((((command adj based) or (command adj interface)) and report$4) and system adj log) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:48
3	61	(((command adj based) or (command adj interface)) and report$4) and system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:51
7	11	((((command adj based) or (command adj interface)) and report$4) and system adj log) and (707/$.ccls. or 345/$.ccls. or 717/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:53
8	2357	system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:57
9	13341	(gui or (graphic$4 adj user adj interface)) and report$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:54
10	359	((gui or (graphic$4 adj user adj interface)) and report$3) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:55
11	3	(((gui or (graphic$4 adj user adj interface)) and report$3) and log adj2 record) and report near identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:52
12	9	(((gui or (graphic$4 adj user adj interface)) and report$3) and log adj2 record) and report near table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:53
13	15887	log.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:53

L Number	Hits	Search Text	DB	Time stamp
1	6388	log adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:00
2	483	(log adj file) and sequen$5 with record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:14
3	2	((log adj file) and sequen$5 with record) and log adj data with (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:15
4	1677	log adj file near9 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:17
5	1677	(log adj file) near9 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:17
6	384	((log adj file) near9 system) and (GUI or (graphic$4 adj user adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:00
7	56	(((log adj file) near9 system) and (GUI or (graphic$4 adj user adj interface))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:50
8	15	((((log adj file) near9 system) and (GUI or (graphic$4 adj user adj interface))) and 707/$.ccls.) and sequential and (relational or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:28
10	1	(log adj file) and ((sequential adj file) with log) and relational and (log adj record) and (log adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:33
9	16	(log adj file) and sequential and relational and (log adj record) and (log adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:34
11	21	(sequential and (relational or database or table or SQL)) near9 (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:43
12	0	((sequential adj data) and ((relational adj database) or SQL)) near9 (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
13	0	((sequential adj data) and ((relational adj database) or SQL)) near20 (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44

14	0	((sequential adj data) and ((relational adj database) or SQL)) with (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
15	0	((sequential$3 adj data) and ((relational adj database) or SQL)) with (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
16	0	((sequential$3 adj data) and ((relational adj database) or SQL)) same (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
17	2	((sequential$3 adj data) and ((relational adj database) or SQL)) and (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:46
18	1	((sequential$3 adj data) and ((relational adj database) and SQL)) and (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:47
19	616	(log adj file) same (log adj2 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:49
20	1	((log adj file) same (log adj2 data)) and (sequential$3 adj2 data) and (data adj (type or element))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:48
21	42	((log adj file) same (log adj2 data)) and (sequential$3) and (data adj (type or element))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:49
22	1134	(log adj file) and log adj2 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:49
23	105	((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:03
24	84	(((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))) and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:50
25	54	((((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))) and report) and (GUI or (graphic$4 adj user adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:50
26	8	(((((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))) and report) and (GUI or (graphic$4 adj user adj interface))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:01

27	7	((((((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))) and report) and (GUI or (graphic$4 adj user adj interface))) and 707/$.ccls.) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:01
28	49	((((((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))) and report) and (GUI or (graphic$4 adj user adj interface))) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:54
29	1	((((((log adj file) and log adj2 data) and (sequential$3) and (data adj (type or element))) and report) and (GUI or (graphic$4 adj user adj interface))) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date))) and (crystal adj report)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:55
30	20	(log adj file) and (crystal adj report)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
31	2357	system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
32	68	(system adj log) and (GUI or (graphic$4 adj user adj interface)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:14
33	43	((system adj log) and (GUI or (graphic$4 adj user adj interface)) and (log adj2 record)) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:28
34	9	(((system adj log) and (GUI or (graphic$4 adj user adj interface)) and (log adj2 record)) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date))) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:09
35	3	((((system adj log) and (GUI or (graphic$4 adj user adj interface)) and (log adj2 record)) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date))) and 707/$.ccls.) and sequential$3 and (relational or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
36	190	(crystal adj report)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
37	0	((crystal adj report)) and report adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
38	83	report adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
39	2	(report adj identifier) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07

40	0	(report adj identifier) and system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
41	33	(report adj identifier) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
42	64	(log adj file near9 system) and (GUI or (graphic$4 adj user adj interface)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:08
43	0	((report adj identifier) and log) and (GUI or (graphic$4 adj user adj interface)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:08
44	7	((report adj identifier) and log) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:08
45	6	(report adj identifier) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:11
46	8	(report adj identifier) and (707/$.ccls. or 345/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:28
47	3	((report adj identifier) and (707/$.ccls. or 345/$.ccls.)) and report near name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:13
48	1190	(log adj2 (file or record)) same report$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:14
49	179	((log adj2 (file or record)) same report$4) and (707/$.ccls. or 345/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:14
50	21	(((log adj2 (file or record)) same report$4) and (707/$.ccls. or 345/$.ccls.)) and (GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) or report$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:23
51	0	(log adj file) and (GUI or (graphic$4 adj user adj interface)) same (log adj2 record) same report$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:24
52	0	(GUI or (graphic$4 adj user adj interface)) same (log adj2 record) same report$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:24

53	8	(GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) and report$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:30
54	4	((GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) and report$4)) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:24
55	0	(system adj log) and (GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) and report$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:26
56	51	(system adj log) and (GUI or (graphic$4 adj user adj interface)) and ((log adj2 record) and report$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:27
57	30	((system adj log) and (GUI or (graphic$4 adj user adj interface)) and ((log adj2 record) and report$4)) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date)) same (log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:30
58	4	(((system adj log) and (GUI or (graphic$4 adj user adj interface)) and ((log adj2 record) and report$4)) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date)) same (log or record)) and (707/$.ccls. or 345/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:28
59	430	(system adj log) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date)) same (log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:30
60	51	((system adj log) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date)) same (log or record)) and (GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) or report$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:31
61	25	(((system adj log) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date)) same (log or record)) and (GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) or report$4)) and sequential$3 and (relational or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:35
62	14	(((system adj log) and (timestamp$3 or (time adj stamp$3) or time/date or (time near date)) same (log or record)) and (GUI or (graphic$4 adj user adj interface)) same ((log adj2 record) or report$4)) and sequential$3 and (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:35

14	157	log.ti. and (707/$.ccls. or 345/$.ccls. or 717/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:54
15	1	(log.ti. and (707/$.ccls. or 345/$.ccls. or 717/$.ccls.)) and report$3.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
16	1	((log.ti. and (707/$.ccls. or 345/$.ccls. or 717/$.ccls.)) and report$3.ti.) and (gui or (graphic$4 adj user adj interface)) and report$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:55
17	21	log.ti. and (gui or (graphic$4 adj user adj interface)) and report$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
18	3	(log.ti. and (gui or (graphic$4 adj user adj interface)) and report$3) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
19	12484	report$3.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
20	229	report$3.ti. and (gui or (graphic$4 adj user adj interface)) and report$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
21	4915	20\ and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
22	3	(report$3.ti. and (gui or (graphic$4 adj user adj interface)) and report$3) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
23	5	(report$3.ti. and (gui or (graphic$4 adj user adj interface)) and report$3) and system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:57